

Distr.
LIMITED

UNEP/OzL.Pro/ExCom/16/17/Corr.

12 March 1995

ORIGINAL: ENGLISH

Executive Committee of
the Multilateral Fund for the
Implementation of the Montreal Protocol

Sixteenth Meeting
Montreal, 15-17 March 1995

Corrigendum

METHODOLOGY FOR CALCULATION OF OPERATIONAL COSTS IN METHYLENE CHLORIDE PROJECTS

This corrigendum is being issued to replace the paragraphs under III Other Recommendations with the following:

Recommendations

39 bis To adopt:

- (a) the methodology for calculating incremental operational costs of methylene chloride projects as indicated in Annex III to this paper; and
- (b) to endorse the factors to be considered when calculating incremental operational costs of methylene chloride projects as indicated in paragraphs 38 and 39.

40. Since the cost of equipment e.g. forced cooling systems, ventilation systems, etc. influence components of operational costs, to request implementing agencies to endeavour to standardize the prices of these equipment either within or between recipient countries, taking account of external factors such as freight charges.

41. To encourage National Ozone offices to assist consultants of implementing agencies by providing up to date information on prevailing levels and regulations on relevant taxes and duties in their respective countries.

Consequently "**Other Recommendations**" in the Executive Summary should correspond to the above.